

	Type	Hits	Search Text	DBs
1	IS&R	69	(("6,582,103") or ("6,676,284") or ("4,111,520") or ("4,298,869") or ("4,422,719") or ("4,376,946") or ("4,597,033") or ("4,607,317") or ("4,767,172") or ("4,785,567") or ("4,891,896") or ("4,976,057") or ("4,996,632") or ("5,057,981") or ("5,140,220") or ("5,151,679") or ("5,201,020") or ("5,219,217") or ("5,301,090") or ("5,303,133") or ("5,365,411") or ("5,375,043") or ("5,410,453") or ("5,416,679") or ("5,459,955") or ("5,475,786") or ("5,497,440") or ("5,526,236") or ("5,537,297") or ("5,581,683") or ("5,588,236") or ("5,613,751") or ("5,618,096") or ("5,640,792") or ("5,694,513") or ("5,818,998") or ("5,842,297") or ("5,852,514") or ("5,876,107") or ("5,879,076") or ("5,887,968") or ("5,921,652") or ("5,931,570") or ("5,934,792") or ("5,941,626") or ("5,950,340") or ("5,964,518") or ("5,996,263") or ("6,023,869") or ("6,042,248") or ("6,075,652") or ("6,076,294") or ("6,079,838") or ("6,095,673") or ("6,123,442") or ("6,146,006") or ("6,158,882") or ("6,186,645") or ("6,193,385") or ("6,204,899") or ("6,217,184") or ("6,275,338") or ("6,283,612") or ("6,297,906") or ("6,297,908") or ("6,354,714") or ("6,361,186") or ("6,366,727") or ("6,394,623") or ("6,406,158") or ("6,447,133") or ("6,592,238")).PN.	USPAT
2	BRS	54	("4111520" "4298869" "4376946" "4597033" "4607317" "4767172" "4785567" "4891896" "4976057" "4996632" "5057981" "5151679" "5201020" "5219217" "5301090" "5303133" "5365411" "5375043" "5410453" "5416679" "5459955" "5475786" "5497440" "5526236" "5537297" "5588236" "5613751" "5618096" "5640792" "5694513" "5842297" "5876107" "5879076" "5887968" "5921652" "5934792" "5950340" "5964518" "5996263" "6023869" "6042248" "6076294" "6079838" "6095673" "6123442" "6146006" "6158882" "6186645" "6193385" "6204899" "6283612" "6354714" "6361186" "6394623").PN.	US-PGPUB; USPAT; USOCR
3	BRS	1	("6592238").URPN.	USPAT
4	BRS	9	("3949350" "4267489" "5128843" "5420482" "5559681" "5570525" "5613763" "6211626" "6361186").PN.	US-PGPUB; USPAT; USOCR
5	BRS	1	("6676284").URPN.	USPAT

	Type	Hits	Search Text	DBs
6	BRS	60	("3821590" "4045665" "4107767" "4267489" "4271458" "4335421" "4376966" "4418378" "4471412" "4544996" "4628421" "4665470" "4791540" "4835661" "4884178" "4908743" "4954931" "4989122" "4994944" "4999755" "5020252" "5027262" "5034864" "5034866" "5122940" "5143433" "5186537" "5195818" "5207495" "5222799" "5224770" "5272601" "5309335" "5337225" "5373428" "5381309" "5386357" "5430627" "5438495" "5493481" "5504545" "5523930" "5537302" "5570525" "5575459" "5669700" "5685633" "5688042" "5726706" "5746503" "5826973" "5848837" "5883684" "5897201" "5915830" "5918962" "5934792" "6007225" "D311588").PN.	US-PGPUB; USPAT; USOCR
7	BRS	2	("6582103").URPN.	USPAT
8	BRS	15	("3931887" "4020337" "4107767" "4521839" "4607317" "4665470" "4812956" "4885664" "5057981" "5074251" "5882742" "5934792" "5941626" "5964518" "6076938").PN.	US-PGPUB; USPAT; USOCR
9	IS&R	0	("(elongat\$4orropeorstrip)(lamporlight)").PN.	USPAT
10	BRS	10173	(elongat\$4 or rope or strip) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	107	flex\$5 ((elongat\$4 or rope or strip) (lamp or light))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	488219	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	734	S12 and (flexib\$5 circuit board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	13607	362/217,495,540,544,545,555,103- 106,108,152,189,198,218,219,222- 225,227,235,236,240,246,278,310,311,326,329, 800,806,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	27	S13 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	779	S14 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	5	cleaver-mark-joseph.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	5	"413005".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	19	("3497981" "4195907" "4422719" "4733332" "4750798" "4977487" "4996632" "5027259" "5339382" "5416608" "5537297" "5542017" "5606634" "5615090" "5662403" "5710856" "5799124" "5806263").PN.	US-PGPUB; USPAT; USOCR
20	BRS	12	("6123442").URPN.	USPAT
21	BRS	24	rod like light guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
22	BRS	10173	(elongat\$4 or rope or strip) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	17	S22 and (collection (plate or plane or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	12	("6123442").URPN.	USPAT
25	BRS	488219	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	28	S25 with embed\$5 with (rod)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	2324	(S25 with embed\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	S27 and (collection (plate or plane or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	IS&R	8	((("6,676,284") or ("6,366,727") or ("6,361,186") or ("6,193,385") or ("5,964,981") or ("6,146,006") or ("5,057,981") or ("4,607,317"))).PN.	USPAT
30	BRS	75064	(light or wave) guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	1	S29 and (polyurethane or silicone or silicone rubber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	57	(light transmit\$5 (material or rod or fiber)) with (polyurethane or silicone or silicone rubber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	488539	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	2324	S44 with embed\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	110	rod like light source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	350	(rod like) with (light source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	0	S45 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	205	S30 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	IS&R	1	("6517219").PN.	USPAT
40	BRS	4	("4984142" "5667295" "6217194" "6244726").PN.	US-PGPUB; USPAT; USOCR
41	BRS	1	("6517219").URPN.	USPAT
42	BRS	23389	(wave guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	53176	light guide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	173	(wave guide) (plate or rod substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	8593	(light guide) (plate or rod substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	53335	S54 or S55 or S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	2401	S57 and (polyurethane or silicone or silicone rubber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	166	S57 and (polyurethane or silicone or silicone rubber) and (air (bubbles or voids or balloons))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
49	BRS	536	S57 and (air (bubbles or voids or balloons))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	1772	rod with ((wave guide) or (light guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	536	S57 and (air (bubbles or voids or balloons))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	523	S57 and (air (bubbles or voids))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	209	S57 and (air (bubbles or voids)) and flexi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	19	S57 and (air (bubbles or voids)) and flexi\$5 and (silicone rubber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	51	S57 and (air (bubbles or voids)) and flexi\$5 and silicone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	IS&R	1	("4195907").PN.	USPAT
57	BRS	8	("2815607" "3516239" "3535018" "3653739" "3767910").PN.	US-PGPUB; USPAT; USOCR
58	BRS	33	("4195907").URPN.	USPAT
59	BRS	0	JP-61165583.did.	JPO; DERWENT
60	BRS	0	JP-0086165583.did.	JPO; DERWENT
61	BRS	0	JP-00165583.did.	JPO; DERWENT
62	BRS	0	JP-00165583 A.did.	JPO; DERWENT
63	BRS	2	JP-2000307152-\$.DID.	JPO; DERWENT
64	BRS	5833	flexible circuit board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	501628	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	2166	bar with like with light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1	S75 and S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	751	S75 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	240	S79 and elong\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	201	S80 and @ad < "20030403"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	IS&R	1	("5537297").PN.	USPAT
72	BRS	13943	362/217,495,540,544,545,555,103-106,108,133,134,152,189,198,218,219,222-225,227,235,236,240,246,278,310,311,326,329,800,806,812.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	10363	(elongat\$4 or rope or strip) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	803	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	300	S83 and S84 and flexible	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	501628	(light emit\$6 diod\$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	155	S86 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

78	BRS	135	S88 and @ad < "20030204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
----	-----	-----	--------------------------	--